AMERICAN BOYCHOIR

TECHNICAL QUESTIONNAIRE

All information is required.

It is understood that for those presenters, whose venues are churches, some of this information may not apply.

Name of Performance Space:
Seating Capacity:
Address:
Phone number: Fax number:
E-mail address:
Name of Moderately Priced Hotel Near Concert Venue (under $90.00 if possible): Phone Number: Fax Number: Approximate cost of room:
Name and phone number of local 1) General Practitioner: 2) Pediatrician: 3) Dentist:
Stage specifications: Proscenium width: Height: Depth from curtain line: Apron depth:
Piano (Please note, a 7 or 9-ft. concert grand is required. Upright and spinet pianos are unacceptable.): Brand: Model:
For churches: Nave Floor: Carpet ❒ Marble ❒ Wood ❒ Approx. Reverberation Time ____seconds Number of Balconies Available for Performance _____ Organ Specifications (see Technical Requirements) Is There An Organ Console In the Balcony? _____ Attach Complete Organ Specifications
Please provide a diagram of the performance space showing any permanent risers, entrances/exits, restrooms, and dressing areas. Please note any moveable furnishings (see Technical Requirements). Also, please provide a detailed map of the immediate area around the performance space identifying restaurants, shopping, hospitals, and laundry facilities. (Revised 9 November 2004)